

<b>Score-TRICENTRIC® Pressure/Temperature Rating- Class 600</b>		
Maximum Temperature Of	Working Pressure, psig	
	Carbon Steel	316SS
-20 to 100	1480	1440
200	1350	1240
300	1315	1120
400	1270	1025
500	1200	955
600	1095	900
650	1075	885
700	1065	870
750	1010	855
800	825	845
850	Note A:	835
900	-	830
950	-	775
1000	-	725
1050	-	720
1100	-	610
1150	-	475
1200	-	370
1250	-	295
1300	-	235
1350	-	190
1400	-	150
1450	-	115
1500	-	85

Note A:

Permissible, but not recommended for prolonged use above 800 degrees F